

CLEANING TECHNOLOGY

Made in Germany

MultiEx[®] VR-SP

Multifunctional aqueous alkaline broadband cleaning detergent for colophomium, flux and solder paste

Part No. 090678-RM25 // Contents: 25 I






Application overview



Assembled PCBs Hybrids Misprints

Technical data



Stencils Screens, PumpPrints **Misprints**



Solder frames Solder carriers Solder masks



ESD boxes Containers Magazines



Condensation traps Filters Steel sheets

Applications	
SMD adhesive	0
Solder paste	++
Low voc flux	++
Colophonium flux	++
Waterbased flux	++
Solder paste (soldered)	++
Oil / Grease	++
Spray-in-air systems	++
Spray-in-immersion systems	++
Air-in-immersion systems	++
Ultrasonic systems	+
Manual application	0

++ = ideal for application, + = recommended, o = optionally applicable, - = not recommended

Note: The spreadsheet only shows a general overview of the product specifications.

Cleaning tests are reasonable to determine the optimum cleaner configuration. Such tests may be carried out directly at the kolb demonstration center in Willich / Germany or Shanghai / China or can be initiated by contacting your local kolb partner..

Color tansparent Odor specific ph-value at 20°C 11,2 -5° C Melting point 100° C Initial boiling point and range Flash point not determined Flammability (solid & gas) not applicable Explosion limits not determined Auto-ignition temperature not applicable Density at 20° C 0,996 g / cm³ Water solubility fully soluble Viscosity at 20° C 23 mm² / s Application pure Storing frost-free in original container

GHS signal word Warning (GHS 07)

MultiEx[®] VR-SP cleans particularly colophonium and flux as well as solder paste quickly, thoroughly and with best material protection from PCBs, ceramic substrates, misprints, stencils, solder frames, magazines, aluminium, stainless steel.

ReadyMix for direct use in a cleaning system.

All modifications due to technical improvements are subject to change without notice.

kolb Cleaning Technology GmbH • Karl-Arnold-Str. 12 • D - 47877 Willich • Phone +49 (0) 2154 9479 - 38 • Fax: +49 (0) 2154 9479 - 47 • e-mail: info@kolb-ct.com • www.kolb-ct.com