

CLEANING TECHNOLOGY

Made in Germany



Rinsing fluid for alloys (brass, copper, etc) as an alternative to water for use with ${\bf kolb}$ ContraFlux FM

Part No. 090626 // Content 10 I

Application overview

To be used as an alternative to water and dries residue-free under air.

Technical data	
Color	tansparent
Odor	neutral
ph-value at 20°C	not measurable
Initial boiling point and range	180° C
Flash point	not determined
Lower explosion limit	1,1 Vol %
Upper explosion limit	14 Vol %
Vapour pressure	0,0097 hPa
Solvent content	100%
Density at 20° C	0,953 g / cm³
Water solubility	completely miscible
Viscosity (dyn.) at 20° C	23,0 mPa s
Application	pure
Storing frost-free	in original container
Hazards identification	Not classified as hazardous

RM24[®] has been developed especially for use with kolb ContraFlux FM cleaning detergent for the rinsing of sensitive surfaces (e.g. copper and brass alloys) in a separate rinsing containment / drip tray. <section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header>



++
++
++
++
++
++
++
++
++
++
+
++

++ = ideal for application, + = recommended, o = optionally applicable, - = not recommended

Note: The spreadsheet only shows a general overview of the product specifications.

Cleaning tests are reasonable to determine the optimum cleaner configuration. Such tests may be carried out directly at the **kolb** demonstration center in Willich / Germany or Shanghai / China or can be initiated by contacting your local **kolb** partner.

Ready to use without blending.

All rights for changes reserved that lead to technical improvement are subject to change without notice.

kolb Cleaning Technology GmbH • Karl-Arnold-Str. 12 • D - 47877 Willich • Phone +49 (0) 2154 9479 - 38 • Fax: +49 (0) 2154 9479 - 47 • e-mail: info@kolb-ct.com • www.kolb-ct.com • Page 1 of 1 04/16